

Interactive 3D modeling

Karan Singh



Sketchpad (Ivan Sutherland 1963)



Humans have an audio IN and OUT,
a video IN but no explicit video OUT!

video IN: Perception

- **Visual field:** one eye looking straight at the horizon, with a narrow cone of vision, while standing still.
- **Visual world:** two eyes looking all around with peripheral vision, while moving dynamically.


[J. Gibson, 1950. The Perception of the Visual World, *Houghton Mifflin.*]

video OUT: Sketching & Sculpting

Most children between the ages of about 9-11 have a passion for realistic drawing. They become sharply critical of their childhood drawings and begin to draw certain favorite subjects over and over again ... Anything short of perfect realism may be regarded as failure.

...many adolescents say, "This is terrible! I have no talent for art. I'm not doing it anymore."

[**B. Edwards, 1999.** Drawing on the Right Side of the Brain, *Tarcher/Putnam.*]



...regardless, we all mould, gesture and doodle!

Design sketches: Ideation

© Frank Gehry




Frank Gehry
anyone can do it



© Carol Highsmith


3D Design Drawing



Concept Sketches




Production Drawings



Construction Plans


3D Design Drawing



Concept Sketches





Production Drawings



Construction Plans

Sculpting



digital



physical



Physical sculpting challenges

- No digital affordances (undo, history, variability).
- Occlusion problems in 3D scanning.
- Raw 3D scan to usable digital model is non-trivial.
- 3D printing is slow, limited.
- Iteration cycle is long and expensive.

Devices

- Online/interactive
- Immersion





Digital sketching & sculpting challenges

- 2D input (mouse, pen tablet) to define 3D.
- 3D input (phantom, mocap) have poorer fidelity, haptics and ergonomics compared to 2D input.
- Inferring 3D shape from 2D input is inherently ambiguous.
- 3D shape is viewed on a 2D display (volumetric and stereo displays have poorer fidelity).

Challenge

2D to 3D: "Depth" component is ambiguous



Human perception †

Combination of


- Visual rules
- Visual memory

† D. Hoffman, *Visual Intelligence: How We Create What We See*, W.W. Norton & Company, 2000.

Visual rules

- ...
- Interpret straight/coincident/collinear lines as straight/coincident/collinear lines in 3D.
- Proximity: nearby in sketch -> nearby in 3D.
- Smoothness: Interpret a smooth stroke as smooth in 3D.

...



Visual rules

- May lead to implausible reconstructions





Figure: http://www.at-bristol.co.uk/Optical/ImpossibleTriangle_main.htm
Pictures: <http://im-possible.info/english/articles/real/real3.html>

Visual memory

- Allows for more rich reconstruction
 - How much can we actually see in this image? How much do we infer?



Perception flowchart



Sketching Workflows

2D

- Stroke filtering fairing, sharpening...
- Stroke Processing widgets, gestures, UI control...
- Stroke appearance NPR, neatening...
- Stroke dynamics pressure, tilt, direction...
- Navigation paper manip., onion skinning...
- 2D curve creation what are desirable curves?
- Stroke Perception what spatio-temporal information do they convey?

3D (Additional dimension for 3D design, animation or 2D design explorations)

- 3D Navigation camera tools, single/multi-view, view bookmarks...
- 3D curve creation 2D stroke to 3D curves perception & inference
- Animation motion trails, evolving shape fronts...
- Alternate Designs co-locating them in space...

...moves on to filling in regions of space/colouring/painting.

Sculpting Workflows

3D

- Primitive creation and coarse manipulation.
- Primitive composition.
- 3D navigation.
- Volume control.

2D

- Sketching on surfaces: chiseling, brush based refinement.
- Surface parameterization and transport for cut and paste.

Approaches to interactive 3D modeling

Sketch

- Shape Inflation (Teddy ShapeShop)
- Multi-view (ILoveSketch)
- Single-view (Analytic 3D drawing, on surface drawing)

Sculpt

- Extrusion-based (surface modeling Rhino, Sketchup...)
- CSG-based (solid modeling, blobby modeling)
- Surface composition (meshmixer)

videos



videos



projects